



LG • PRICE SHEET



Residential and Light Commercial Air Conditioning Systems

Beautifully Designed to Save

SPLIT SYSTEMS

STANDARD SPLIT SYSTEMS

Cost-effective way to cool or heat a single room--Duct-free Standard heat-pump systems are available in 9,000, 12,000, and 18,000 Btu/h capacities.

Standard single zone systems feature easy, duct-free permanent installation. The white, low 36V DC operation, wall-mounted indoor units are quiet and simple to control using the included wireless remote.

DUCT FREE AIR CONDITIONER & HEAT PUMP WHILE SUPPLIES LAST		
LSU093HE	9K BTU 13 SEER HEAT PUMP OUTDOOR	576.00
LSN093HE	9K BTU 13 SEER HEAT PUMP EVAPORATOR	382.00
LSU122HE	12K BTU 13 SEER HEAT PUMP OUTDOOR	626.00
LSN122HE	12K BTU 13 SEER HEAT PUMP EVAPORATOR	417.00

STANDARD MINI SPLIT INVERTER		
LSU307HV	30K BTU 15 SEER HEAT PUMP OUTDOOR	1276.00
LSN307HV	30K BTU 15 SEER EVAPORATOR INVERTER	687.00
LSU360HV	36K BTU 16.1 SEER HEAT PUMP OUTDOOR	1737.00
LSN360HV	36K BTU HEAT PUMP 16.1 SEER EVAPORATOR	935.00

MEGA STANDARD SINGLE ZONE INVERTER

LG's new line of heat pump duct-free split products. Systems are available in 9,000, 12,000, 18,000, and 24,000 Btu/h capacities. The single-zone systems feature energy-saving Inverter (variable-speed compressor) technology and are controlled through a standard wireless remote.

MEGA STANDARD SINGLE ZONE INVERTER		
LSU090HEV	9K BTU 16 SEER HEAT PUMP OUTDOOR	650.00
LSN090HEV	9K BTU 16 SEER EVAPORATOR	350.00
LSU120HEV	12K BTU 16 SEER HEAT PUMP OUTDOOR	720.00
LSN120HEV	12K BTU 16 SEER EVAPORATOR	385.00
LSU180HEV	18K BTU 16 SEER HEAT PUMP OUTDOOR	980.00
LSN180HEV	18K BTU 16 SEER EVAPORATOR	525.00
LSU240HEV	24K BTU 16 SEER HEAT PUMP OUTDOOR	1035.00
LSN240HEV	24K BTU 16 SEER EVAPORATOR	555.00

HIGH-EFFICIENCY STANDARD SINGLE ZONE INVERTER

LG's most energy-efficient line of heat pump duct-free products. Systems are available in 9,000, 12,000, 18,000, and 24,000 Btu/h capacities. All systems in the duct-free high-efficiency line achieve Energy Star qualifications. The single zone systems feature energy-saving Inverter (variable-speed compressor) technology and can be controlled through a standard wireless remote or an optional wired wall controller.

STANDARD MINI SPLIT INVERTER - HIGH EFFICIENCY SPLIT		
LSU091HSV	9KBTU 20 SEER HEAT PUMP OUTDOOR	756.00
LSN091HSV	9K BTU 20 SEER EVAPORATOR	409.00
LSU121HSV	12K BTU 20 SEER HEAT PUMP OUTDOOR	829.00
LSN121HSV	12K BTU 20 SEER EVAPORATOR	446.00
LSU181HSV	18K BTU 18.2 SEER HEAT PUMP OUTDOOR	1127.00
LSN181HSV	18K BTU 18.2 SEER EVAPORATOR	606.00
LSU240HSV	24K BTU 18.9 SEER HEAT PUMP OUTDOOR	1226.00
LSN240HSV	24KBTU 18.9 SEER EVAPORATOR	660.00



Available styles



ART COOL

up to **28.0** SEER

ART COOL™ GALLERY

The slim, contemporary styling of the Art Cool™ Gallery Inverter models will appeal to today's discerning customer. Available in 9,000 and 12,000 BTU/h, models come with a frame that allows the customer to modify and personalize the unit with their own artwork or photography – the ultimate in custom design plus with energy-efficient Inverter technology. These indoor units, combined with small footprint outdoor units, provide both physical comfort and a stylish esthetic.

ART COOL PICTURE - SINGLE ZONE WHILE SUPPLIES LAST

LAU126HNP	12K BTU 13 SEER HEAT PUMP OUTDOOR	637.00
LAN126HNP	12K BTU 13 SEER HEAT PUMP EVAPORATOR	620.00

ART COOL GALLERY - SINGLE ZONE INVERTER

LAU090HVP	9K BTU 16 SEER HEAT PUMP OUTDOOR	1050.00
LAN090HVP	9K BTU 16 SEER HEAT PUMP EVAPORATOR	565.00
LAU120HVP	12K BTU 16 SEER HEAT PUMP OUTDOOR	1140.00
LAN120HVP	12K BTU 16 SEER HEAT PUMP EVAPORATOR	615.00



ART COOL™ MIRROR

Art Cool™ Mirror duct-free systems featuring sleek, mirror-finished indoor units, and outdoor units with energy-efficient Inverter technology. Choose from models with capacities from 9,000 to 24,000 Btu/h. Single zone systems that feature an innovative design and high efficiency levels. The mirrored wall-mounted indoor units allow for easy installation, while the majority of systems in this line achieve Energy Star and tax credit qualifications.

ART COOL MIRROR SINGLE ZONE

LAU090HSV	9K BTU 20 SEER HEAT PUMP OUTDOOR	810.00
LAN090HSV	9K BTU 20 SEER ART COOL MIRROR EVAPORATOR	436.00
LAU120HSV	12K BTU 20 SEER HEAT PUMP OUTDOOR	886.00
LAN120HSV	12K BTU 20 SEER ART COOL MIRROR EVAPORATOR	478.00
LAU180HSV	18K BTU 20.5 SEER HEAT PUMP OUTDOOR	1204.00
LAN180HSV	18K BTU 20.5 SEER ART COOL MIRROR EVAPORATOR	649.00
LAU240HSV	24K BTU 20 SEER HEAT PUMP OUTDOOR	1265.00
LAN240HSV	24K BTU 20 SEER ART COOL MIRROR EVAPORATOR	681.00

ART COOL™ PREMIER

In addition to stylish design, LG Art Cool™ Premier brings with it an unrivaled package of the most complete air conditioning solutions. New Extended Warranty on new models: 5 years parts; 7 years compressor

ART COOL PREMIER

LSU090HYV	9K BTU 28 SEER SUPREME EFFICIENCY OUTDOOR	891.00
LSN090HYV	9K BTU 28 SEER SUPREME EFFICIENCY EVAPORATOR	480.00
LSU120HYV	12K BTU 26 SEER SUPREME EFFICIENCY OUTDOOR	972.00
LSN120HYV	12K BTU 26 SEER SUPREME EFFICIENCY EVAPORATOR	524.00



AWARDS:

Excellence in Design Gold Award 2013 by appliance DESIGN Magazine

Silver Award Winner in the 2013 Dealer Design Awards Program for the HVAC High Efficiency Residential Equipment category



CEILING CASSETTE

Available in 24,000, and 42,000 Btu/h capacities, the ceiling-cassette indoor units in these duct-free split heat-pump systems provide comfort in large, open spaces. Duct-free installation with an esthetically pleasing indoor unit design. The four-way controlled louvers and fan speed features on these ceiling cassette indoor units allow for even air distribution. Easy control through the included wireless remote or optional wired wall-mounted controller.



CEILING CASSETTE SINGLE ZONE

LUU247HV	24 BTU 17 SEER HEAT PUMP OUTDOOR	1919.00
LCN247HV	24K BTU 17 SEER HEAT PUMP EVAPORATOR	1279.00
LUU427HV	42K BTU 17 SEER HEAT PUMP OUTDOOR	2707.00
LCN427HV	42K BTU 17 SEER HEAT PUMP EVAPORATOR	1805.00

BENEFITS:

- Inverter variable-speed compressor on the outdoor unit for energy-saving operation
- Many modes included, controlled through wireless remote or wired wall controller: Cooling, Heating, Dehumidifying, Fan
- Independent louver control
- Internal condensate pump included
- Swirl Wind controls the louvers and fan speeds to create a stronger, wider air flow
- Jet Cool operates at high fan speeds for 30 minutes to quickly cool down a room
- Operates down to 5°F in cooling mode
- Allows refrigerant piping lengths up to 164 or 246 feet (depending on the model), and elevation difference of 98 feet
- R410A refrigerant

FEATURES:

- Inverter (Variable speed compressor)
- Internal condensate pump included
- Swirl Wind
- 4-Way cooling
- Jet Cool
- Cooling mode
- Dehumidifying mode
- Night Quiet Operation
- Built-in low ambient standard
- Fan mode
- Independent vane control
- 3 fan speeds
- Evaporator frost control
- 24-Hour on/off timer
- Auto restart
- Auto changeover
- Temperature display on remote
- Ultra-quiet turbo fan
- Gold Fin™ Anti-Corrosion

HIGH STATIC DUCTED

Single zone systems with high static ducted indoor units for ceiling-concealed installation. Choice of 24,000 or 36,000 Btu/h systems; includes wired wall controller for easy control.



SINGLE ZONE HIGH STATIC DUCTED

LUU247HV	24K BTU 17 SEER HEAT PUMP OUTDOOR	1919.00
LHN247HV	24K BTU 17 SEER HEAT PUMP EVAPORATOR	855.00
LUU367HV	36K BTU 17 SEER HEAT PUMP OUTDOOR	2415.00
LHN367HV	36K BTU 17 SEER HEAT PUMP EVAPORATOR	1420.00

BENEFITS:

- Inverter variable-speed fan
- Built-in condensate pump
- Auto operation and auto restart operation
- Two-thermistor control
- Quiet operation

FEATURES

- Inverter (Variable speed compressor)
- R-410A Refrigerant
- Gold Fin™ Anti-Corrosion
- Auto restart
- Cooling/Heating/Fan Modes
- Auto sleep mode
- Ultra-quiet operation
- Dehumidifying mode
- 24-Hour on/off timer

MULTI F MULTI ZONE

Multi F heat pump systems provide air conditioning for two, three, four and up to eight separate zones. A variety of indoor units are available for any application; systems can be configured with all non-ducted, all ducted, or with both non-ducted and ducted indoor units.

Multi F Heat Pump Inverter Outdoor Units

Multi F series outdoor units can support two, three, four, or eight indoor units for maximum design flexibility. Choose from 18,000, 24,000, 36,000, and 54,000 Btu/h capacities. Space-saving footprint in a heat pump configuration, Multi F outdoor units include advanced Inverter (variable-drive compressor) technology, and enable easy installation with little to no ductwork required.



MULTI ZONE HEAT PUMP OUTDOOR

LMU187HV	18K BTU HEAT PUMP UP TO 2 ZONES	1222.00
LMU247HV	24K BTU HEAT PUMP UP TO 3 ZONES	1449.00
LMU369HV	36K BTU HEAT PUMP UP TO 4 ZONES	2176.00
LMU540HV	54K BTU HEAT PUMP UP TO 8 ZONES	2785.00

Multi F Multi Zone Indoor Units

Wall-mounted indoor units with a white exterior. Available in 9,000, 12,000, and 18,000 Btu/h capacities. Standard model of duct-free indoor units specifically for Multi F multi zone outdoor units. Wireless remote controller included.



MULTI ZONE HEAT PUMP EVAPORATOR WALL MOUNT

LMN096HVT	9K BTU MULTI ZONE EVAPORATOR	445.00
LMN126HVT	12K BTU MULTI ZONE EVAPORATOR	491.00
LMN186HVT	18K BTU MULTI ZONE EVAPORATOR	755.00

Four-Way Ceiling-Concealed Cassette Multi Zone Indoor Units

Four-way ceiling-cassette indoor units offered in 12,000 and 18,000 Btu/h capacities. Four-way ceiling-cassette indoor units specifically for use with Multi F outdoor units. Feature four-way controlled louvers and choice of fan speeds to provide the necessary air distribution. Includes wireless remote controller.



MULTI ZONE HEAT PUMP EVAPORATOR CEILING CASSETTE

LMCN125HV	12K BTU MULTI ZONE EVAPORATOR	645.00
LMCN185HV	18K BTU MULTI ZONE EVAPORATOR	910.00

Art Cool Multi F Indoor Units

Wall-mounted indoor units with a mirror-finished front panel. Choose from 9,000, 12,000, and 18,000 Btu/h capacities. Art Cool™ model of duct-free indoor units specifically for Multi F outdoor units. Wireless remote controller included



INVERTER FLEX MULTI DUAL, TRI, AND QUAD-ZONE INDOOR UNITS

LMAN095HVT	9K BTU ART COOL MULTI ZONE SPLIT	507.00
LMAN125HVT	12K BTU ART COOL MULTI ZONE SPLIT	561.00
LMAN185HVT	18K BTU ART COOL MULTI ZONE SPLIT	857.00

High Static Ducted Multi F Indoor Units

High Static Ducted indoor units in 24,000, and 36,000 Btu/h capacities for use specifically with Multi F and Multi F MAX outdoor units. Ceiling-concealed installation. Includes wired wall controller for easy control.



HIGH STATIC DUCTED MULTI F INDOOR UNITS

LMHN240HV	24K BTU HIGH STATIC CEILING CONCEALED	708.00
LMHN360HV	36K BTU HIGH STATIC CEILING CONCEALED	992.00



DUCT FREE SYSTEMS

BEAUTIFULLY DESIGNED TO SAVE

As air conditioners have reached high levels of technological sophistication, the focus on today's air conditioners has transitioned beyond just heating and cooling capabilities to encompass other features, such as design and energy efficiency.

Indeed, LG air conditioners go far beyond the basics, featuring a range of aesthetically refined designs suitable for any home or office interior decor. Room-enhancing design is just one of the many ways LG air conditioners will complement your living environment, while providing clean, comfortable air.

Over the years, LG has strived to meet the demand for high quality air conditioning solutions with greater energy efficiency, resulting in remarkable cost savings for your home and business. Furthermore, LG's air conditioners are sturdy, reliable products with prolonged lifespans designed to provide years of worry-free performance.

DON'T FORGET TO BUY...

LG ACCESSORIES

PQRCVCLOQ	WIRED WALL THERMOSTAT FOR FLEX-SYSTEM	110.00
PQRCVSL0	DELUXE WIRED THERMOSTAT FOR FLEX-SYSTEMS	135.00
PMBD3620	LG MAX 2 PORT DISTRIBUTION BOX	304.00
PMBD3630	LG MAX 3 PORT DISTRIBUTION BOX	315.00
PMBD3640	LG MAX 4 PORT DISTRIBUTION BOX	392.00
PMBL5620	LG MAX Y BRANCH FOR DISTRIBUTION BOXES	132.00
PTUQC	CEILING GRILL FLEX MULTI-SPLIT	115.00
PTUMC	CEILING GRILL FOR CEILING CASSETTE	120.00
93632	LG 42" MINI SPLIT WALL BRACKET	50.00
CVMINI	LG CLEARVUE MINI SPLIT CONDENSATE PUMP	125.00

LG LINE SETS

CHECK WITH SALES ASSOCIATES FOR CURRENT PRICING

LGLS141225	LG LINE SET 1/4 X 1/2 25FT 1/2" INSULATION
LGLS141250	LG LINE SET 1/4 X 1/2 50FT 1/2" INSULATION
LGLS143825	LG LINE SET 1/4 X 3/8 25FT 1/2" INSULATION
LGLS143850	LG LINE SET 1/4 X 3/8 50FT 1/2" INSULATION
LGLS145825	LG LINE SET 1/4 X 5/8 25FT 1/2" INSULATION
LGLS145850	LG LINE SET 1/4 X 5/8 25FT 1/2" INSULATION
LGLS385825	LG LINE SET 3/8 X 5/8 25FT 1/2" INSULATION
LGLS385850	LG LINE SET 3/8 X 5/8 50FT 1/2" INSULATION

SpeediChannel™ is an innovative channel system used to cover air conditioning line sets. The two part system has a base and a cover. The base is fastened to a wall or ceiling, then a clever little plastic clip (SpeediClip™) snaps into a channel already molded into the base. Then, using standard cable ties, the line set, cables, control wires, and/or condensate drain line are fastened in place. The cover then simply snaps on top of the base.

SPEEDI CHANNEL

230FJ4	LG SPEEDI CHANNEL 4" FLEX JOINT	10.89
230IK4	LG SPEEDI CHANNEL FITTING STARTER KIT	43.26
230D4	LG SPEEDI CHANNEL 4" LINE SET COVER 6.5 FT	26.78
230EIN4	LG SPEEDI CHANNEL 4" 90° OUT ELBOW	14.25
230FR4	LG SPEEDI CHANNEL 4" FLAT WALL ESCUTHEON	4.64
230FB454	LG SPEEDI CHANNEL 4" FLAT 45° ELBOW	15.76
230WC4	LG SPEEDI CHANNEL 4" WALL PENETRATION COVER	15.60
230FB4	LG SPEEDI CHANNEL 4" FLAT 90° ELBOW	15.76
230CP4	LG SPEEDI CHANNEL 4" UNION COUPLING	5.92




PLUS:

- MOUNTING SCREWS AND ANCHORS
- CONDENSATE DRAIN TUBING
- HOSE CLAMPS
- CLOSED CELL INSULATING TUBING FOR LIQUID AND SUCTION LINES
- ELECTRICAL TAPE
- CONDENSER MOUNTING PAD
- PLASTIC DUCT AND INSTALLATION HARDWARE TO CONCEAL CONNECTING TUBING ON EXTERIOR WALLS

BRING FOR INSTALL:

- LEVEL GAUGE
- 2 3/4" HOLE CORE DRILL
- FLARING TOOL SET
- GAS LEAK DETECTOR
- VACUUM PUMP
- GAUGED MANIFOLD
- MICRON GAUGE
- R-410A SERVICE PORT ADAPTER



PRICES SUBJECT TO CHANGE

DOWNTOWN
817-922-0544

ARLINGTON
817-461-0744

EAST SIDE
817-428-8077

WEST SIDE
817-244-3885

WWW.ACSUPPLYTEXAS.COM